

INTELLICHLOR® FLOW-TEMPERATURE SWITCH REPLACEMENT KIT



INSTALLATION GUIDE

Technical Support

Phone: (800) 831-7133 - (8 AM to 7:30 PM) Fax: (800) 284-4151

Web site: visit www.pentairpool.com

Related IntelliChlor Manuals

IntelliChlor User's Guide (P/N 520589)

IntelliChlor[®] Salt Chlorine Generator Flow-Temperature Switch Replacement Kit Contents

Replacement kit contents:

- Flow-Temperature switch assembly
- Two pair-at-a-time splicer
- Step 1: Switch OFF power to the pool pump and the IntelliChlor Salt Chlorine Generator cell before starting.
- Step 2: Remove the flow-temperature switch from the IntelliChlor Salt Chlorine Generator cell.

To remove the flow-temperature switch from the IntelliChlor Salt chlorine Generator cell:

- 1. Remove the flow switch cover from the cell.
- 2. Loosen the flow-temperature switch cable that is wrapped around the switch nut. Note the direction of the arrows on top of the switch nut.
- 3. Cut the cable close to the switch to allow enough wire for the new switch cable to be connected to.
- Using a flat 1-3/16" (30 mm) wrench carefully unscrew the flow-temperature switch assembly until the switch can be remove from the cell. Be careful not to damage the cell plastic coupling with the edge of the wrench.

Unscrew nut counterclockwise to remove flowtemperature switch assembly








Step 3: Install the replacement flow-temperature switch

To replace the flow-temperature switch:

- 1. Insert the flow-temperature switch into threaded hole in the cell and hand tighten the switch as much as possible.
- 2. Using a flat 1-3/16" (30 mm) wrench carefully tighten the flowtemperature switch assembly until the switch thread nearly bottoms out.
- 3. Tighten the switch nut until the arrows on the top of the switch nut are pointing in the flow direction and the center arrow is aligned in the center position as shown below.




direction

2


4. Strip back the cable jacket that was cut from the unit. Note: Do not strip the individual wires.

- 5. Insert the **RED and BLACK** wires from the switch into one end of the water-tight (pair-at-a-time) connector and crimp using pliers. Then insert the **RED and BLACK** wires going into the cell into the other end of the water tight connector and crimp using pliers. *Note: Do not strip the individual wires.*
- 6. Insert the **GREEN and WHITE** wires from the switch into one end of the second water-tight connector and crimp using pliers. Then insert the **GREEN and WHITE** wires going into the cell into the other end of second water tight connector and crimp using pliers. *Note: Do not strip the individual wires*.



7. If replacing a regular flow switch (RED and BLACK wires only), insert green and white wires from new flow-temperature switch into one end of the second water-tight connector and crimp using pliers. This will provide electrical insulation for the floating leads.

For regular flow switch replacement, floating leads will be covered with the second splicer



- 8. Wrap the excess wire around the flow switch.
- 9. Replace the flow switch cover.



- 10. The IntelliChlor[®] Salt Chlorine Generator is now ready for operation.
- 11. Switch the power on to the pool pump and the IntelliChlor Salt Chlorine Generator cell.

Notes



1620 HAWKINS AVE., SANFORD, NC 27330 • (919) 566-8000 10951 WEST LOS ANGELES AVE., MOORPARK, CA 93021 • (805) 553-5000

WWW.PENTAIRPOOL.COM

All Pentair trademarks and logos are owned by Pentair or by one of its global affiliates. Pentair Aquatic SystemsTM, IntelliChlor[®] are trademarks and/or registered trademarks of Pentair Water Pool and Spa, Inc. and/or its affiliated companies in the United States and/or other countries. Unless expressly noted, names and brands of third parties that may be used in this document are not used to indicate an affiliation or endorsement between the owners of these names and brands and Pentair Water Pool and Spa, Inc. Those names and brands may be the trademarks or registered trademarks of those third parties. Because we are continuously improving our products and services, Pentair reserves the right to change specifications without prior notice. Pentair is an equal opportunity employer.

© 2015 Pentair Water Pool and Spa, Inc. All rights reserved. This document is subject to change without notice.



P/N 520737 REV. D 6/2015